

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	455	429/12-46.cds. and (sofc solid adj oxide solid adj electrolyte) and (electrolyte) with (insulat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/23 14:35
S2	191	429/12-46.cds. and (sofc solid adj oxide solid adj electrolyte) and (electrolyte) near4 (insulat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/23 14:35
S3	2996	429/12-46.cds. and (electrolyte ceramic YSZ yttria adj stabilized "yttria-stabilized") with (insulat\$3 seal\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 07:53
S4	1658	429/12-46.cds. and (electrolyte ceramic YSZ yttria adj stabilized "yttria-stabilized") near4 (insulat\$3 seal\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 07:56
S5	572	S4 and (SOFC solid adj oxide)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/24 07:56
S6	0	wo-2004066425\$	US-PGPUB; USPAT	OR	ON	2008/10/28 07:49
S7	1	wo-2004066425\$	US-PGPUB; USPAT; DERWENT	OR	ON	2008/10/28 07:50
S8	1	"20040258977".pn.	US-PGPUB; USPAT	OR	ON	2008/10/28 07:50
S9	1	wo-2002043173\$	US-PGPUB; USPAT; DERWENT	OR	ON	2008/10/28 08:02
S10	2	"6946210".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2008/10/28 08:03
S11	2	"20020068212".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2008/10/28 08:04
S12	1	wo-9963610\$	US-PGPUB; USPAT; DERWENT	OR	ON	2008/10/28 08:06

S13	1	2000-072971.NRAN.	DERWENT	OR	ON	2008/10/28 08:07
S14	2	"6531236".pn.	US-PGPUB; USPAT; DERWENT	OR	ON	2008/10/28 08:08
S15	83	(429/30-33,35-36,46. ccs. 427/115.ccls.) and (solid adj oxide sofc) and (gasket seal \$3 insulat\$3 spacer spac\$3) near4 (crack \$3 break\$3 fractur\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/28 13:42
S16	3711	fuel adj (cell battery) and (electrolyte oxide ceramic YSZ yttria adj stabilized "yttria- stabilized") and (seal \$3 insulat\$3 gasket) not us.pc.	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 13:52
S17	2118	fuel adj (cell battery) and (electrolyte oxide ceramic YSZ yttria adj stabilized "yttria- stabilized") with (seal \$3 insulat\$3 gasket) not us.pc.	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 13:52
S18	85	fuel adj (cell battery) and (gasket seal\$3 insulat\$3 spacer spac \$3) with (crack\$3 break\$3 fractur\$3) not us.pc. not S17	FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/28 14:29
S19	1430	fuel adj cell and (electrolyte same (edge peripher\$3)) and ((seal gasket insulator) same (separator iuplate biplate plate collector interconnect\$3 Bipolar support "bi-polar" "bi- plate"))	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/28 14:34
S20	455	429/12-46.ccls. and (sofc solid adj oxide solid adj electrolyte) and (electrolyte) with (insulat\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/28 14:34

S21	1659	429/12-46.ccls. and (electrolyte ceramic YSZ yttria adj stabilized "yttria-stabilized") near4 (insulat\$3 seal\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/28 14:34
S22	572	S21 and (SOFC solid adj oxide)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/28 14:34
S23	1209	S19 not (S20 S22)	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/28 14:34
S24	221	S19 not S23	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/28 14:49
S25	1	"4937152".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/28 14:56

10/29/2008 7:48:51 AM

C:\Documents and Settings\ewang\My Documents\EAST\Workspaces\10761124(3) - method of sealing.wsp